



FLEXI-POINT
FLEXIBLE ROOF POINTING

Flexitech Pty Ltd
ABN 84 060 559 846

PO Box 273, Carole Park
QLD 4300 Australia

Tel: + 61 7 3375 9888
Fax: + 61 7 3375 9799

1. IDENTIFICATION OF THE MATERIAL SUPPLIER

Supplier Name: Flexitech Pty Ltd
Address: 93 Kelliher Road, Richlands QLD 4077 Australia
Telephone: +61 7 3375 9888
Fax: +61 7 3375 9799
Emergency: +61 7 3375 9888
Email: info@flexitechpl.com.au
Web Site: www.flexitechpl.com.au
Synonym(s) None
Uses: Adhesive for securing tile roof ridge caps.
SDS Date: 7th April 2017

2. HAZARDS IDENTIFICATION

CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

RISK PHRASES

R21/22 Harmful in contact with skin and if swallowed
R36/38 Irritating to eyes and skin

SAFETY PHRASES

S24/25 Avoid contact with skin and eyes
S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice
S51 Use in well ventilated areas

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

UN Number: None Allocated
DG Class None Allocated
Packing Group None Allocated
Subsidiary Risk(s) None Allocated
Hazchem Code None Allocated



FLEXI-POINT
FLEXIBLE ROOF POINTING

Flexitech Pty Ltd
ABN 84 060 559 846

PO Box 273, Carole Park
QLD 4300 Australia

Tel: + 61 7 3375 9888
Fax: + 61 7 3375 9799

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	Formula	Cas No.	Content
Water Based Acrylic	Not Available		28%
Pozzolans and inert fillers	Not Available		63%
Rheology Modifiers & water	Not Available		Up to 100%

4. FIRST AID MEASURES

Eye	If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing for at least 15 minutes and consult a Doctor.
Inhalation	Remove person to fresh air. If breathing stops apply artificial respiration and other First Aid techniques as required and obtain immediate Medical advice.
Skin	May cause skin irritation and dryness on repeated or prolonged contact.
Ingestion	Do not induce vomiting. Give copious quantities of water and seek Medical advice
Advice to Doctor	Treat symptomatically. Avoid aspiration risks if vomiting induced. The polymeric component will form films on drying.
First Aid facilities	No specific First Aid Facilities are required other than those required by relevant legislation

5. FIRE FIGHTING MEASURES

Flammability	Non Flammable. May evolve toxic gases if strongly heated.
Fire and Explosion	No fire or explosion hazard exists.
Extinguishing	Prevent contamination of drains and waterways
Hazchem Code	None Allocated

6. ACCIDENTAL RELEASE MEASURES

Spillage	Prevent spill entering drains or waterways.
-----------------	---

7. STORAGE AND HANDLING

Storage Store in a cool, dry, well ventilated area. Ensure buckets are adequately labelled, protected from physical damage and sealed when not in use.

Handling Before use carefully read the bucket label. Use of safe work practices are recommended to avoid eye or skin contact. Observe good personal hygiene, including washing hands before eating.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Standards

The Acrylic emulsion may contain residual monomers, generally to a maximum of 0.3%. The exposure limits as set by Worksafe Australia are as follows;

Ingredient	CAS #	TWA ppm	STEL ppm
Vinyl Acetate	108-05-04	10	20
Butyl Acetate	141-32-2	10	
Acrylic Acid	79-10-7	2	

Ventilation Ensure adequate ventilation.

Biological Limits No biological limit allocated.

PPE

Eye Wear goggles or safety glasses
Hands Wear neoprene, PVC or rubber gloves
Body Sufficient to avoid skin contact
Respiratory Wear an Organic Vapour Mask (Type AS1716) when used in poorly ventilated areas.





FLEXI-POINT
FLEXIBLE ROOF POINTING

Flexitech Pty Ltd
ABN 84 060 559 846

PO Box 273, Carole Park
QLD 4300 Australia

Tel: + 61 7 3375 9888
Fax: + 61 7 3375 9799

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Coloured paste
Odour	Mild acrylic odour
Flammability	Non Flammable
Flash Point	Not relevant
Boiling point	> 100°C
Melting Point	Not relevant
Evaporation Rate	Not available
pH	10 - 11
Vapour Density	Not available
Upper explosion limit	Not available
Lower explosion limit	Not available
Autoignition temperature	Not available
Decomposition temperature	Not available
Viscosity	Not available
Partition coefficient	Not available

10. STABILITY AND REACTIVITY

Chemical Stability	Stable
Conditions to Avoid	Avoid storage in hot sunny conditions
Materials to Avoid	Not relevant
Hazardous Decomposition	Does not evolve toxic gases if heated to decomposition
Hazardous Reactions	None

11. TOXICOLOGICAL INFORMATION

Health Hazard Summary	May cause skin irritation and dryness on repeated or prolonged skin contact. Use safe work practices to avoid eye or skin contact and inhalation.
Eye	Contact may result in irritation, redness, abrasion and pain.
Inhalation	Odour may cause headache and nausea.
Skin	May cause irritation and dryness.
Ingestion	May cause nausea and diarrhoea
Toxicity Data	No LD ₅₀ Value has been determined for this product.



FLEXI-POINT
FLEXIBLE ROOF POINTING

Flexitech Pty Ltd
ABN 84 060 559 846

PO Box 273, Carole Park
QLD 4300 Australia

Tel: + 61 7 3375 9888
Fax: + 61 7 3375 9799

12. ECOLOGICAL INFORMATION

Environment Ensure appropriate measures are taken to prevent this product from entering waterways or sewerage systems.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Allow material to dry in full sun. When completely dry unwanted material can be disposed into the domestic waste collection. Empty containers can be disposed in same way once all remaining material in the bucket is completely dry.

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORTATION INFORMATION

HAZARD STATUS Not classified as a Dangerous Good according to the criteria of the ADG Code.

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
UN Number	None Allocated	None Allocated	None Allocated
Proper Shipping Name	None Allocated	None Allocated	None Allocated
DG Class/Division	None Allocated	None Allocated	None Allocated
Subsidiary Risk(s)	None Allocated	None Allocated	None Allocated
Packing group	None Allocated	None Allocated	None Allocated
Hazchem Code	None Allocated		

15. REGULATORY INFORMATION

Poison Schedule A poison schedule has not been allocated to this product.

Inventory Listing **AUSTRALIA: ACIS (Australian Industry of Chemical Substances)**
All components are listed on AICS, or are exempt



FLEXI-POINT
FLEXIBLE ROOF POINTING

Flexitech Pty Ltd
ABN 84 060 559 846

PO Box 273, Carole Park
QLD 4300 Australia

Tel: + 61 7 3375 9888
Fax: + 61 7 3375 9799

16. OTHER INFORMATION

Additional Information

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES

The recommendation for protective equipment contained within this ChemAlert report is provided as a guide only.

Revision History

Revision	Description
1.0	New SDS

Report Status

This document has been compiled by the manufacturer of the product and serves as the manufacturer's Safety Data Sheet

While the Manufacturer has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to the accuracy or completeness. As far as lawfully possible, the manufacturer accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

It is the purchasers responsibility before using this product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes.